

BURO Bangladesh

দরপত্র আহ্বান

তারিখ: ২৫/০২/২০২৪

বুরো বাংলাদেশ মানব সম্পদ উন্নয়ন কেন্দ্র-যশোর (নিজম্ব ভবন) এর নিরাপত্তা নিশ্চিত করনের জন্য সিকিউরিটি ক্যামেরা ও এর প্রয়োজনীয় যন্ত্রাংশ ক্রয় এবং স্থাপন করার লক্ষ্যে বিভিন্ন সরবরাহকারী প্রতিষ্ঠানের নিকট দরপত্র আহ্বান করা যাচ্ছে। নিম্নলিখিত শর্তাবলী এবং সংযুক্ত বিবরণ অনুযায়ী আগ্রহী ম্বনামধন্য প্রতিষ্ঠানকে আগামী ০৬/০৩/২০২৪ তারিখ বেলা ১২:০০ ঘটিকার মধ্যে বুরো বাংলাদেশ প্রধান কার্যালয় বাড়ি নং-১২/এ, রোড নং ১০৪, ব্লক নং- সি ই এন (এফ), গুলশান-২, ঢাকা-১২১২, এই ঠিকানায় ৫ম তলায় প্রশাসন বিভাগে রক্ষিত দরপত্র বাক্সে দরপত্র জমা দেওয়ার জন্য অনুরোধ করা হলো।

শর্তাবলীঃ

- o১. অভিজ্ঞতা সম্পন্ন প্রতিষ্ঠান/কোম্পানি হতে হবে।
- ০২.দরপত্রে দর অংকে ও কথায় স্পষ্ট করে লিখতে হবে।
- ০৩.স্বাক্ষর বিহীন কাটাছেঁড়া ও ঘষামাজা দরপত্র সরাসরি বাতিল বলে গণ্য হবে।
- ০৪.প্রতিটি মালামালের স্পেসিফিকেশন, ব্র্যান্ড, কান্ত্রি অফ অরিজিন উল্লেখ করতে হবে।
- ০৫.ভ্যাট এবং ট্যাক্স সরকারি নিয়ম অনুযায়ী প্রযোজ্য হবে।
- ০৬. প্রডাক্ট এবং সার্ভিস এর ওয়ারেন্টি নূন্যতম ০২ বৎসর হতে হবে।
- ০৭. ওয়ারেন্টি পিরিয়ডে কোন যন্ত্রাংশ পরিবর্তন বা সার্ভিস প্রদানের ক্ষেত্রে পরিবহন ব্যয় সরবরাহকারী প্রতিষ্ঠানকে বহন করতে হবে।
- ০৮.কর্তৃপক্ষ যেকোনো সময় দরপত্র বাতিল এবং গ্রহণ করার অধিকার সংরক্ষণ করেন।
- ০৯.সর্বনিম্ন দরদাতাকে কার্যাদেশ প্রদান করতে কর্তৃপক্ষ বাধ্য নয়।
- ১০. কার্যাদেশ প্রাপ্ত প্রতিষ্ঠানকে উল্লেখিত মালামাল নিজ দায়িত্বে এবং নিজ খরচে বুরো বাংলাদেশ মানব সম্পদ উন্নয়ন কেন্দ্র-যশোর, ঘোষপাড়া, পুরাতন কসবা, ঢাকা রোড, যশোর এই ঠিকানায় সরবরাহ ও স্থাপন করতে হবে, মোবাইল- ০১৭৩৩২২০৪১৩।

ধন্যবাদান্তে,

সহকারী-সমন্বয়কারী সরবরাহ ও সেবা প্রধান কার্যালয়, বুরো বাংলাদেশ।

Surveillance IP Camera and Other Accessories For CHRD-Jashore

TECHNICAL SPECIFICATION

l No	Product Name	SPECIFICATION	Brand	Model	UNIT	QTY	Comment
1	NVR (64-CH)	➤ 64 Channel ➤ 8 SATA interfaces for 8HDDs ➤ RJ45 GIGA ethernet network interface ➤ H.265+/H.265/H.264/H.264+/MPEG4 ➤ TCP/IP, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, UPnPTM, HTTPS ➤ Incoming/Outgoing Bandwidth 320 Mbps, or 200 Mbps (when RAID is enabled) ➤ Multi browser and multi user access ➤ Interoperability ONVIF (Hikvision/Dahua/ Jovision/ZKTeco/ Avtech/ Campro/ Panasonic/ CP Plus/Sony/uniview / Samsung and more) ➤ Verified business grade edition ➤ Metal Body ➤ CMS Supported ➤ Motion Detection ➤ Minimum 2 years Full Product Warranty	Hilminian/Dahua	DS-8664NI-18 or NVR5864-EI	Pcs	1	
2	IP Camera (Bullet)	 ▶ High quality imaging with 4 MP resolution ▶ Support Motion Detection ▶ Water and dust resistant (IP67) ▶ Advanced infrared technology with long IR range, output ▶ Up to 2560 × 1440P resolution ▶ 30 MTR IR DISTANCE ▶ TCP/IP, ICMP, DHCP, DNS, HTTP, RTP, RTSP, NTP, IGMP, IPv6, UDP, QoS, FTP, SMTP ▶ 1/3" Progressive Scan CMOS 25/30fps ▶ Metal+Plastic Body ▶ Verified business grade edition ▶ Minimum 2 Years Full Product Warranty 	Hikvision/Dahua	DS-2CD1043G2-I or DH-IPC- HFW1430S-S5	Pcs	13	
3	IP Camera (Dome)	 ▶ High quality imaging with 4 MP resolution ▶ Support Motion Detection ▶ Water and dust resistant (IP67) ▶ Advanced infrared technology with long IR range, output ▶ Up to 2560 × 1440P resolution ▶ 30 MTR IR DISTANCE ▶ TCP/IP, ICMP, DHCP, DNS, HTTP, RTP, RTSP, NTP, IGMP, IPv6, UDP, QoS, FTP, SMTP ▶ 1/3" Progressive Scan CMOS 25/30fps ▶ Metal+Plastic Body ▶ Verified business grade edition ▶ Minimum 2 Years Full Product Warranty 	Hikvision/Dahua	DS-2CD1143G2-I or DH-IPC- HDW1431SP-S4	Pcs	3	
4	UTP Cabel	UTP Cable Cat6 (We Considered 15 Metr for Par Camera) - Best Quality ► CAT.6 305 M ► Copper ► Original	Systimax/Hikvision/Par duit/Dahua/Rosenberge		Box	2	Approximate (As Required)
5	HDD (Surveillance Grade)	 ▶ 8TB ▶ Minimum Speed 5400 RPM ▶ Surveillance Grade ▶ Interface type SATA 6 Gb/s ▶ Minimum Cache 128MB ▶ Verified business grade edition ▶ Minimum 2 Years Full Product Warranty 	WD/Segate		Pcs	1	
6	Connector (Cat 6 RJ45)	➤ Micronet Cat 6 RJ45 Cable Connector, high- quality ➤ Gigabit Ethernet network, high bandwidth	MicroNet / Vivanco / Hikvision Systimax- R 45 Connector (Best Quality)		Pcs	35	Approximate (As Required)
7	Power Strip	 ▶ Power-strip Minimum 5x(5pin Universal Socket) ▶ Overload Protector ▶ Minimum 2000W ▶ Minimum 10A ▶ Minimum 3Yards Cable (Best Quality) 	Power-strip (Best Quality)		Pcs	: 1	



Surveillance IP Camera and Other Accessories For CHRD-Jashore

TECHNICAL SPECIFICATION

SI No	Product Name	SPECIFICATION	Brand	Model	UNIT	QTY	Comment
8	24 Giga Port PoE Switch	Cisco CBS350- 24P-4G-EU	Cisco	Cisco CBS350- 24P-4G-EU	Pcs	1	
9	Optical Mouse (Free)	Free with XVR (Best quality)	N/A		Pcs	1	
10	Accessories	Others Accessories for Installation (Channel, PVC Pipe, Power Cable, Screw, Cable huck Cable Tie, Royal, Velcrow and Other Related Accessories, etc)	N/A		Office	1	As Required
11	Installation	Cable Laying, Leveling, Camera Installation all location, of BURO Bangladesh office	N/A		Node	16	As Required
12	Software & Mobile App (Windows, Android & ioS)	Branch-Local monitoring & Apps monitoring, AM will monitor 5 Branch using App/Software, ZM will monitor 40-50 Branch by using Apps and software, ICT will monitor 40-50 Branch by using Apps and software, DM will monitor 150-200 Branch by using Apps and software. HO will monitor All Branch by using Apps and software. In word, Multi user base monitoring supported application system.	N/A		N/A	-	As Required
13	Training	Configuration to user device and Training to end users	N/A		N/A	-	As Required



Technical Terms and Condition (for CHRD-Jashore)

- 1. All equipment will be meticulously designed to ensure seamless, efficient, and trouble-free operation, even in tropical humid climates.
- 2. The vendor must get pre-approval from the client for color for all equipment and accessories.
- The vendor is required to submit an authorization letter from the principal, along with challan and bill documents for the supplied products (IP Camera, NVR, HDD).
- Cable laying, leveling, and camera installation will be executed with a keen eye for aesthetics, ensuring a perfectly decorative finish that complements the design of the space or office.
- 5. The cost of cables and other accessories necessary for installation will be invoiced as per the client's requirements at actual use.
- 6. A comprehensive two-year replacement warranty is assured for all products. The warranty covers the entire system and extends for 24 months from the official handover of the project to BURO Bangladesh. The replacement warranty will cover any kind of unsolvable logical error, internal damage, internal burn issue and other device and system problems, along with other standard warranty policies.
- 7. Transportation costs for any part replacement or service during the warranty period will be the responsibility of the vendor, who will also provide physical support at the station or location base (anywhere in Bangladesh).
- 8. Service and support should be ensured for 24 x 7 either physically or via remote access.
- 9. In the absence of any equipment and accessories during servicing time, the vendor must provide backup devices.
- 10. All products must have a production date after June 2023.
- 11. Each NVR and camera should be the same brand.
- 12. The supplier must provide a color-printed and laminated hanging CCTV caution sign for surveillance camera compliance.

